



catalogue
2025








AIRFLEX



02

DYNAMEK



04

BLACK GROUNG




08

CORE BASIC




12

PURE



16

AIRFLEX





Fire

SI/SIP/S2/S3



S2/S3



OPT.

Sizes
36 to 47

Outsole
PU/PU

Upper
3D Air Textile

Protection
Fiber toe-cap
Non-metallic midsole /for SIP, S3



Black-Orange
GPR-90




Black-Green
GPR-91



Black-Gray
GPR-93



DYNAMEK





Sizes
36 to 47


Upper
Microfiber suede leather

Outsole
PU/PU/TPU

Protection
Fiber toe-cap
Non-metallic midsole /for S3

Ghost

S2/S3



Sizes
36 to 47

Upper
Microfiber suede leather

Outsole
PU/PU/TPU

Protection
Fiber toe-cap
Non-metallic midsole /for S3

Ghost

BOOTS
S2/S3



Windy

SI/SIP



OPT.



Sizes
36 to 47

Upper
Knitting textile
and TPU

Outsole
PU/PU/TPU

Protection
Fiber toe-cap
Non-metallic midsole /for SIP



Black-Green
DMK-51



Black-Blue
DMK-53





BLACK GROUND



POWERED BY





Executive LOW S2/S3



Sizes
39 to 47

Upper
Microfiber suede
leather

Outsole
PU/RUBBER

Protection
Composite toe-cap
Non-metallic midsole /for S3



Black
GPR-55



Executive MID S2/S3



Sizes
39 to 47

Upper
Microfiber suede
leather

Outsole
PU/RUBBER

Protection
Composite toe-cap
Non-metallic midsole /for S3



Black
GPR-54

Tar

S2/S3



OPT.



Sizes
39 to 47

Upper
Full grain
leather

Outsole
PU/RUBBER

Protection
Composite toe-cap
Non-metallic midsole /for S3



Black
GPR-24

Gobi

S2/S3



OPT.



Sizes
39 to 47

Upper
Full grain
leather

Outsole
PU/RUBBER

Protection
Composite toe-cap
Non-metallic midsole /for S3



Black
GPR-25


Polyurethane midsole, rubber outsole, which is powered by Vibram®. More grips on the surface. Resistant to the 300 °C.



POWERED BY



CORE BASIC





Sizes
35 to 47

Upper
Full grain
leather

Outsole
PU/PU

Protection
Steel toe-cap
Steel midsole /for SIP

Jeriko

S1/SIP



OPT.



Black
234R



Sizes
36 to 46

Upper
Full grain
leather

Outsole
PU/PU

Protection
Composite toe-cap
Non-metallic midsole /for S3

Policap

S2/S3



OPT.



Black
155-O2

Jupiter

S1/SIP



OPT.



Sizes
36 to 46

Upper
Suede leather
and textile

Outsole
PU/PU

Protection
Steel toe-cap
Steel midsole /for SIP



Black
157-01

Jupiter

S1/SIP



OPT.



Sizes
36 to 46

Upper
Split barton
leather

Outsole
PU/PU

Protection
Steel toe-cap
Steel midsole /for SIP



Black
101



Sizes
36 to 46


Upper
Split barton
leather

Outsole
PU/PU

Protection
Steel toe-cap
Steel midsole /for S3

Jupiter

S2/S3



OPT.



Black
O23R

15



Sizes
36 to 46

Upper
Split barton
leather

Outsole
PU/PU

Protection
Steel toe-cap
Steel midsole /for S3

Jupiter

S2/S3




OPT.



Black
106

PURE



Slipper

SI/SIP



Sizes
35 to 47

Upper
Microfiber

Outsole
PU/PU

Protection
Steel toe-cap
Steel midsole /for SIP



OPT.



White
210-01



Dark Blue
210-02



Black
210-03





With its experience from the past, Mekap added safety shoes to its product range in 1996 to enter the ppe industry. Using the latest technologies in its production processes.

Mekap provides the safety standards needed in the working environment by completing the necessary test procedures and certifying its products.

It leads the sector with its high quality comfortable, durable and healthy safety shoes.





milano

Element Hub Milano is a business development and distribution partner based in Italy. With a focus on long-term market relevance, the company integrates operational discipline, market intelligence, and structured delivery. Each process—from regulatory alignment to commercial rollout—is designed to align strategic priorities with regional market dynamics.

As the exclusive seller of **Mekap Pro**, **Element Hub Milano** manages the brand's presence across selected regions, tailoring each launch to its local market requirements. All operations—from certification and distribution to retail onboarding and after-sales support—are managed under defined standards to ensure precision, relevance, and sustained consistency in the market.





Toe-cap (Resistant 200 Joule)



P
Anti-perforation protection



A
Anti-static footwear



HRO
Heat resistance of outsole (+300 °C/min)



E
Shock absorption in the heel area



HI
Heat insulation



FO
Sole resistant to oil and hydrocarbons



CI
Cold insulation

CE Label Information

A shoe that bears the sign CE, has passed the mandatory tests relating to the EN ISO 20345:2011 and EN ISO 20347:2012 standards and has been produced of highperformance material.

EN ISO 20345:2011

SB : Basic safety

S1 : A+SB+E

S1P : A+SB+E+P

S2 : A+SB+E+WRU

S3 : A+SB+E+WRU+P

EN ISO 20347:2012

OB : Basic requirements

O1 : A+OB+E

O1P : A+OB+E+P

O2 : A+OB+E+WRU

O3 : A+OB+E+WRU+P

SRA

Slip-resistant ceramic + detergent

SRB

Slip-resistant steel + glycerine

SR

SRA + SRB

ALL RIGHTS RESERVED

No part of this catalogue can be copied, saved to archives or sent in any way or by any means, without written authorisation from Mekap.





Exclusive Seller
Element Hub Milano | Mekap SRL
Via Morimondo, 26 - 20143 Milano, Italy
mekap.pro | info@elementhub.space

+39 020 997 18 59

trademark of  mekap

 **mekap**
PRO